जा.क्र.स्वारातीग्राशावैमअं/भांडार/ 4214 /२०२० स्वामी रामानंद तीर्थ ग्रामीण शासकीय वैद्यकीय महाविद्यालय, अंबाजोगाई. जि.बीड दिनांक - 0) /०६/२०२०

| To, | | | | |
|-----|------|--|--|--|
| | 11/9 | | | |

विषय – कोविड १९ उपायोजना अंतर्गत सुक्ष्मजीवशास्त्र विभागातील VRDL प्रयोगशाळे करिता लागणारी यंत्रसामुग्री/साधनसामुग्री खरेदी करणे बाबत......

संदर्भ - १. मा.जिल्हाधिकारी कार्यालय यांचे प्रशासकीय मान्यता आदेश क्रमांक क्र.२०२०/मौ.ख./COVID-9९/DMF/कावि/9४६ दिनांक - २३.०४.२०२० २.मा. जिल्हाधिकारी यांनी दि.३१.०५.२०२० रोजी विषयांकीत खरेदीसाठी दिलेल्या मान्यतेनुसार.

स्वामी रामानंद तीर्थ ग्रामीण शासकीय वैद्यकीय महाविद्यालया अंतर्गत असलेल्या सुक्ष्मजीवशास्त्र विभागाच्या VRDL प्रयोगशाळे करीता लागणारी यंत्रसामुग्री/साधनसामुग्री खरेदी करण्याकरिता संदर्भ क्र. 9 नुसार मा. जिल्हाधिकारी यांच्याकडून प्रशासकीय मान्यता प्रदान करण्यात आलेली असुन संदर्भ क्र. २ अन्वये मा. जिल्हाधिकारी यांनी दिलेल्या मान्यतेनुसार या महाविद्यालयाकडून व्दि-लिफाफा पध्दतीने दरपत्रके मागविण्यात येत आहेत. दरपत्रके सादर करण्याचा शेवटचा दिनांक त्रण्याक जुन २०२० रोजी सायं. ५:०० वाजेपर्यंत असुन, प्राप्त झालेली दरपत्रके दि. जुन २०२० रोजी महाविद्यालयीन यंत्रसामुग्री खरेदी समितीच्या समक्ष उघडण्यात येतील. कोणतेही दरपत्रके स्विकारण्याचा अथवा नाकारण्याचा हक्क अधिष्ठाता कार्यालय राखून ठेवत आहे. पुरवठा करण्यासाठी ८१ दरपत्रकधारकास पुरवठा आदेश निर्गमित केल्यानंतर विनिर्दिष्ठां (Specifications) प्रमाणे साहित्य नसल्यास तसेच निकृष्ठ दर्जाचा साहित्य पुरवठा झाल्यास ८१ दरपत्रकधारकास निर्गमित केलेले पुरवठा आदेश रद्य करण्यात येवुन ८२ दरपत्रकधारकाकडून खरेदी करण्याचा हक्क महाविद्यालयास राहील. सदर दरपत्रकाचा तपशील सोवत जोडलेल्या Annexure - १ या यादीतील यंत्राचे नांव, यंत्राची विनिर्दिष्ठये व नग संख्या नुसार राहील.

| अ.क्र. | लिफाफा क्र. १ मध्ये खालील कागदपत्रे सादर करावीत (तांत्रिक दरपत्रक) |
|--------|--|
| 9 | आस्थापना व दुकाने अधिनियम लायसन्स प्रमाणपत्राची प्रत |
| ? | दरपत्रकाच्या अंतीम दिनांकापर्यंत आयकर प्रमाणपत्र मागील तीन वर्षाचे आयकर विवरणपत्रे व पॅनकार्ड यांच्या छायांकीत प्रत. |
| 3 | Provisinal ID & GST Number याची प्रत |
| 8 | संस्थेकडे सुक्ष्म, लघु आणि मध्यम उद्यम मंत्रालय, भारत सरकार यांचेकडे नोंदणी केलेले उद्योग आधार प्रमाणपत्र असल्यास प्राधान्य देण्यात येईल. |
| 4 | यापुर्वी ज्या शासकीय/निमशासकीय कार्यालयामध्ये पुरवठा केला आहे अशा कार्यालयाची नावे व पुरवठा समाधानकारक असल्याचे पत्र |

लिफाफा क्र. २ मध्ये खालील कागदपत्रे सादर करावीत (आर्थिक दरपत्रक)
Annexure - १ या यादीतील यंत्राचे नांव, यंत्राची विनिर्दिष्ठये, यंत्रा संबंधिची कागदपत्रे व नग संख्या

अटी व शर्ती

- 9. मोहोरबंद लिफाफयावर VRDL प्रयोगशाळे करिताचे दरपत्रक असे लिहीने आवश्यक आहे.
- २. निविदा भरणा-या संस्थेकडे मुंबई दुकाने व आस्थापना अधिनियम, १९४८ नुसार दुकानाच्या नोंदणी प्रमाणपत्राची प्रत असणे आवश्यक आहे.
- ३. संस्थेकडे सुक्ष्म, लघु आणि मध्यम उद्यम मंत्रालय, भारत सरकार यांचेकडे नोंदणी केलेले उद्योग आधार प्रमाणपत्र असल्यास प्राधान्य देण्यात येईल.
- ४. दरपत्रकाच्या अंतीम दिनांकापर्यंत आयकर प्रमाणपत्र मागील तीन वर्षाचे आयकर विवरणपत्रे व पॅनकार्ड यांच्या छायांकीत प्रती जोडणे आवश्यक आहे.
- ५. PROVISINAL ID & GST NUMBER यांची प्रत जोडणे आवश्यक आहे.
- ६. उपरोक्त कामाची देयके आगाऊ मुद्रांक पावतीसह सादर करावयाची आहे. कोणत्याही कारणास्तव आगाऊ रक्कम अदा केली जाणार नाही.
- ७. प्रशासकीय कारणास्तव देयक अदा करण्यास विलंब झाल्यास विलंब आकार किंवा व्याज आकारता येणार नाही.
- ८. दरपत्रकात दर सर्व करांसहित नमुद करावे.
- ९. साहित्याचा कोणताही वाहतुक खर्च दिला जाणार नाही. आदेश निर्गमित झाल्यानंतर ७ दिवसांच्या आत पुरवठा करणे निविदाधारकास बंधनकारक आहे. विलंबास शासन नियमानुसार दंड आकारण्यात येईल.
- 90. दरपत्रके सादर करतांना तांत्रिक लिफाफा व आर्थिक लिफाफा हे दोन्ही वेगवेगळे सीलबंद करुन ते एकाच लिफाप्यामध्ये सीलबंद करुन सादर करावे.
- ११. तांत्रिक लिफाफा पात्र असेल तरच आर्थिक लिफाफा उघडण्यात येईल.
- १२. वॉरटी कालावधी दोन वर्षांचा असावा.
- १३. यंत्र बंद झाल्यास तक्रार केल्यापासून २४ तासाच्या आत तज्ञाने तपासणी करणे बंधनकारक राहील.
- १४. २४ तासाच्या आत तपासणीसाठी हजर न झाल्यास नियमानुसार दंड आकारला जाईल.

अधिष्ठाता

स्वामी रामानंद तीर्थ ग्रामीण शासकीय वैद्यकीय महाविद्यालय, अंबाजोगाई.

VRDL Instrument/Consumable Specification

| Sr. | Name of | Specifications | Make | Quantity | Quantity |
|-----|---|--|--|---------------------------|-----------------|
| No. | Instrument/ | | | Unit | Required |
| | Consumable | | Nuve, | | 01 |
| 1 | Laboratory incubator (28°C) | General: Tender is invited from reputed original manufacture or their authorized agents/dealers only. Information regarding installation in India and satisfactory service and maintenance may be | Thermo Fisher scientific | | O1 |
| | | forwarded with all the details for verification. Technical: Double walled body with inner chamber of Stainless Steel and outer galvanized steel with non- corrosive epoxy powder coated; full view glass door. Capacity: 100-120L with an internal fan for uniform air circulation Inner chamber: 3-4 shelves and with illumination Temperature: Control: microprocessor based with digital display, Range: 5°C to 50°C with an accuracy of +/-0.5°C Uniformity: +:+/1.0°C throughout the chamber | | | |
| | | Door alarm: Low/high temperature alarm Cooling: CFC free refrigeration Power Supply: 210-240V/50-60 Hz | | | |
| 2 | Uninterrupted power supply(UPS) (2KVA with 2 | Uninterrupted power supply(UPS) 1.Capacity 2 KVA 2. Battery backup 120 min. 3.input voltage 140V AC to 280 V AC | Microtake with Exide Battery | | 04 |
| | hrs back up) | 4.Input DC Voltage 24 V 5.Input frequency 60 Hz +-6% 6.input compatibility D/G Set 7.out voltage 220 v+9%(mains mode),220 v+ 5%(battery mode) | | | |
| | 5 | 8.Out frequency 50 hz +-6%(under main mode),50 hz + 1%(under battery mode) 9 protection short circuit.overload.low battery 10indicators mains on ,load on battery 11.audible alarm main failure ,battery low 12.temp.0 degree celcius to 45 .degree celcius | | 5 | |
| 3 | Coverol 2 ml | Coverol 2 ml | Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra | 1000 (1 Box) | 6000 (6 Box) |
| 4 | Cryobox | Cryobox with lid for storage of cryovials with no .on lid | Tarson | l box (100 p ieces) | 30 box |

| - | (00) | Material: Stainless Steel | Any Vendor | | 50 |
|---|-----------------|--|--|---|---------|
| 5 | Spirit lamp(SS) | | Authorized or | | 30 |
| | | An alcohol burner or spirit lamp is a piece of lab | The same of the sa | | |
| | | equipment used to produce an open flame | certified by | | |
| | | | Govt. of India | | |
| | | | /Govt. of | | |
| | | | Maharashtra | | |
| 6 | Forceps | Disposable sterile forceps | Any Vendor | | |
| U | Тогсерз | | Authorized or | | 100 |
| | | | certified by | | 100 |
| | | | Govt. of India | | |
| | | | /Govt. of | | |
| | | | Maharashtra | | |
| | | | - Section Control of Printers | | 100 lit |
| 7 | 70% Ethanol | High purity, | Sigma, | | 100 110 |
| | | 70% ethanol in sterile water for disinfection | Molecular | | |
| | | | Biology E7023 | | |
| 8 | Discarding jar: | i. Size | Any Vendor | | |
| | | To be used as secondary storage of waste | Authorized or | | |
| | | materials with Plastic bag lining | certified by | | 10 |
| | | 5 L | Govt. of India | | 10 |
| | | | /Govt. of | | |
| | | | Maharashtra | | 08 |
| | | 15 L | 1VIIIIIII COMPLET | | |
| | | | | | 07 |
| | | 60 L | | | |
| | | ii. Specifications | | - | |
| | | 1. Non-Chlorinated in Nature i.e. Free of | | | |
| | | PVC | | | |
| | | 2. Made From 100% Virgin Plastic Granuals | | | |
| | | 3. Made of High Density Poly Ethylene | | | |
| | | (HDPE) – SPI Resin ID Code 2 | | | |
| | | 4. Puncture Proof, Tamper Proof, Leak Proof | | | |
| | | with Sealing System | | | |
| | | 5. Confirm to ASTM Standard D1922 and | | | |
| | | D1709 – Test Certificate to be attached | | | |
| | | 6. 50% Transparency Level | | | |
| | | 7. Master Batch Colour Shade - | | | |
| | | | | | |
| | | 8. Use of Black Printing Ink Colour without | | | |
| | | heavy metals | | | |
| | | 9. Able to withstand a temperature of 135 | | | |
| | | Degrees under 31 psi with a resistance time | | | |
| | | of not less than 30 minutes. | | ю | |
| | | iii. Design | | | |
| | | 1. Placing of Biohazard Symbol on a. All | | | |
| | | Sides | | | |
| | | 2. Placing of Label on Container a. Not | | | |
| | | Required | | | |
| | | 3. Other Safety Markings Size and Place | | | |
| | | a. Front Side 5 L, 15 L, 60 L | | | |
| | | a. FIGHT SIDE 3 L, 13 L, OUL | | | |

| 9 | Ice Box with Gel Pack | For short-term storage of ice, dry ice, liquid nitrogen, frozen samples, etc., as well as for shipment of materials requiring dry-ice packing Efficient insulation provided by expanded polystyrene walls, encased in sturdy fiberboard shell with close-fitting lid Wall thickness 64 mm | Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra | | 30 |
|----|-----------------------------------|--|---|-----------------|----|
| 10 | Tissue Roll | Along with gel pack For Cleaning and drying at sample preparation area | Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra | | 50 |
| 11 | Bio Hazard Labels | Size :4.5 X4.3 X4.5 inches Colour : Fluorescent Red Orange Material type: Bright fluorescent paper stock backed with permanent adhesive | Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra | | 50 |
| 12 | PCR Tubes /Plates | Should be compatible with reputed brand Real time PCR system, 96 well, DNAse / RNAse free | Thermofisher Tarson Anxgen, corning Sartorius AG | (1 pack- 25) | 05 |
| 13 | Microspin (Small equipment) | Max.RCF 14100 X g Max Speed 14500 rpm Speed 800-14500rpm Max capacity 12 X 1.5/2.0 ml Rotors available 2 Acceleration Time 13s Deceleration time 12s Display Large LCD Timer 15s to 99 min,with continuous run function Noise level < 52 Db(A) Volume Range 24 ml Power supply 230V,50-60 Hz Max power consumption 70W Dimensions(W x D x H) 22.5 x23 x 13.0 cm Height(with open lid) 25 cm Weight w/o accessories 3.7 kg Cooler Non refrigerated | Eppendof minispin plus Thermofisher Tarson Anxgen, corning Sartorius AG | | 01 |

| 14 | 96 well splash free support, base | Designed to hold 96-Well Reaction Plates for convenient pre-PCR and post-PCR sample processing. • Perfect for centrifugation Uniform Results Use with instruments that have heated sample covers to eliminate condensation and the need for a mineral oil overlay. Proprietary MicroAmp® Reaction Tubes are essential for high-performance PCR. They ensure the greatest temperature and amplification uniformity for your samples. | Thermofisher Tarson Anxgen, corning Sartorius AG | 02 |
|----|--|---|--|----|
| 15 | 96 well support base, each | Convenient for pre- and post-PCR sample processing Easy to use for pipetting steps Designed to support 48-well and 96-well plate formats | Thermofisher Tarson Anxgen, corning Sartorius AG | 02 |
| 16 | MICROAMP 96 WELL SUPPORT BASE, each | Convenient for pre- and post-PCR sample processing Easy to use for pipetting steps Designed to support 48-well and 96-well plate formats | Thermofisher Tarson Anxgen, corning Sartorius AG | 02 |
| 17 | Deep well 96 plate 50 Pcs Each | Bottom U Certifications/Compliance Certified RNase and DNase Free. ANSI ColorNatural Material Polypropylene No. per Case 50 Sterility Non-sterile Well Shape Round | Thermofisher Tarson Anxgen, corning Sartorius AG | 01 |
| 18 | Label Thermal Printer | Print a variety of colorful labels quickly and easily with handheld label printers, no computer needed | HP | 04 |
| 19 | Laboratory Refrigerator | Technical specifications: Must be of a reputed brand, from manufacturer/authorized dealers having installation in reputed institutes/ firms, preferably in Maharashtra and service centers located in India. Necessary evidence to be provided. Design: Double door refrigerator, Inner chamber stainless steel 304 grade, Door locking system, magnetic door gasket, adjustable shelves, auto defrost facility. Capacity: 400L Refrigerant: CFC Free Controls: moisture and humidity Alarm & Indicator: audio-visual alarm for door open and temperature fluctuation compressor on/off | Samsung India LG INDIA | 10 |

| | | indicator | | | |
|----|-----------------------------------|---|------|----|--|
| 20 | LED 52 Inches TV Multi-functional | Resolution: Ultra HD (3840 x 2160) Refresh Rate: 60 hertz Display: HDR Slim Edge Mold Rich Colors Netflix prime video, hot star, You tube Connectivity: 3 HDMI ports to connect set top box, Blue Ray players, gaming console 3 USB port to connect hard drives and other USB devices Smart TV Features: Built-in Wi Fi Quad Core Processor Graphics Processor Sound output: 40 Watts Output Dolby Digital Plus Voice guide/Enlarge/High contrast/Multi-output Audio Installation: For installation/wall mounting/demo of this product once delivered, directly contact Samsung at 1800407267864/18002668282 and provide product's model name and seller's details mentioned on your invoice. The service center will allot you a convenient slot for the service Warranty: 1 year standard manufacturer warranty from Samsung Easy Returns: This product is eligible for replacement within 10 days of delivery in case of any product defects, damage or features not matching the description provided | Sony | 01 | |
| | 3 | Wi-Fi Integrated. Edge LED Backlight with Opti Contrast Panel. | | ž. | |

अधिष्ठाता

स्वामी रामानंद तीर्थ ग्रामीण शासकीय वैद्यकीय महाविद्यालय, अंबाजोगाई.