

Website वर जाहिरात देण्यासाठी सविस्तर मसुदा

पुनश्च: दरपत्रक

जा.क्र.स्वारातीग्राशावैमअं/भांडार/4357/2020
स्वामी रामानंद तीर्थ ग्रामीण शासकीय वैद्यकीय
महाविद्यालय, अंबाजोगाई. जि.बीड
दिनांक - 06/06/2020

To,

M/S -----

विषय - कोविड १९ उपायोजना अंतर्गत

सुक्ष्मजीवशास्त्र विभागातील VRDL प्रयोगशाळे करिता लागणारी यंत्रसामुग्री/साधनसामुग्री
खरेदी करणे बाबत.....

संदर्भ - १. मा.जिल्हाधिकारी कार्यालय यांचे प्रशासकीय मान्यता आदेश क्रमांक

क्र.२०२०/मौ.ख./COVID-१९/DMF/कावि/१४६ दिनांक - २३.०४.२०२०

२. मा. जिल्हाधिकारी यांनी दि.३१.०५.२०२० रोजी विषयांकीत खरेदीसाठी दिलेल्या मान्यतेनुसार.

३. जा.क्र.स्वारातीग्राशावैमअं/भांडार/४२१४/२०२० दि.०१.०६.२०२०

स्वामी रामानंद तीर्थ ग्रामीण शासकीय वैद्यकीय महाविद्यालया अंतर्गत असलेल्या सुक्ष्मजीवशास्त्र विभागाच्या VRDL प्रयोगशाळे करिता लागणारी यंत्रसामुग्री/साधनसामुग्री खरेदी करण्याकरिता संदर्भ क्र. १ नुसार मा. जिल्हाधिकारी यांच्याकडून प्रशासकीय मान्यता प्रदान करण्यात आलेली असून संदर्भ क्र. २ अन्वये मा. जिल्हाधिकारी यांनी दिलेल्या मान्यतेनुसार या महाविद्यालयाकडून संदर्भ क्र. ३ नुसार दरपत्रके मागविण्यात आली होती परंतु अत्यल्प प्रतिसाद मिळाल्याने पुनश्च: दरपत्रके मागविण्यात येत आहेत. त्या अनुषंगाने दरपत्रके सादर करण्याचा शेवटचा दिनांक - ८-- जुन २०२० रोजी सायं. ५:०० वाजेपर्यंत असून, प्राप्त झालेली दरपत्रके दि. -- ९ जुन २०२० रोजी नोडल अधिकारी, भांडार व प्रशासकीय अधिकारी यांच्या समक्ष उघडण्यात येतील. कोणतेही दरपत्रके स्विकारण्याचा अथवा नाकारण्याचा हक्क अधिष्ठाता कार्यालय राखून ठेवत आहे. पुरवठा करण्यासाठी L१ दरपत्रकधारकास पुरवठा आदेश निर्गमित केल्यानंतर विनिर्दिष्टां (Specifications) प्रमाणे साहित्य नसल्यास तसेच निकृष्ट दर्जाचा साहित्य पुरवठा झाल्यास L१ दरपत्रकधारकास निर्गमित केलेले पुरवठा आदेश रद्द करण्यात येवुन L२ दरपत्रकधारकाकडून खरेदी करण्याचा हक्क महाविद्यालयास राहिल. सदर दरपत्रकाचा व सोबत जोडावयाची कागदपत्रांचा तपशील खालीलप्रमाणे राहिल.

अ.क्र.	सोबत जोडावयाची कागदपत्रे
१	आस्थापना व दुकाने अधिनियम लायसन्स प्रमाणपत्राची प्रत
२	दरपत्रकाच्या अंतीम दिनांकापर्यंत आयकर प्रमाणपत्र मागील तीन वर्षांचे आयकर विवरणपत्रे व पॅनकार्ड यांच्या छायांकीत प्रत.
३	Provisinal ID & GST Number याची प्रत
	सोबत जोडावयाचे दरपत्रक
४	सोबत दिलेल्या यंत्रसामुग्री/साधनसामुग्रीच्या विनिर्दिष्टे व नग संख्येनुसार एकत्रित सादर करावे.

अटी व शर्ती

१. मोहोरबंद लिफाफयावर VRDL प्रयोगशाळे करिताचे दरपत्रक असे लिहीने आवश्यक आहे.

२. निविदा भरणा-या संस्थेकडे मुंबई दुकाने व आस्थापना अधिनियम, १९४८ नुसार दुकानाच्या नोंदणी प्रमाणपत्राची प्रत असणे आवश्यक आहे.
३. संस्थेकडे सुक्ष्म, लघु आणि मध्यम उद्यम मंत्रालय, भारत सरकार यांचेकडे नोंदणी केलेले उद्योग आधार प्रमाणपत्र असल्यास प्राधान्य देण्यात येईल.
४. दरपत्रकाच्या अंतीम दिनांकापर्यंत आयकर प्रमाणपत्र मागील तीन वर्षांचे आयकर विवरणपत्रे व पॅनकार्ड यांच्या छायांकीत प्रती जोडणे आवश्यक आहे.
५. PROVISINAL ID & GST NUMBER यांची प्रत जोडणे आवश्यक आहे.
६. उपरोक्त कामाची देयके आगाऊ मुद्रांक पावतीसह सादर करावयाची आहे. कोणत्याही कारणास्तव आगाऊ रक्कम अदा केली जाणार नाही.
७. प्रशासकीय कारणास्तव देयक अदा करण्यास विलंब झाल्यास विलंब आकार किंवा व्याज आकारता येणार नाही.
८. दरपत्रकात दर सर्व करांसहित नमुद करावे.
९. साहित्याचा कोणताही वाहतुक खर्च दिला जाणार नाही. आदेश निर्गमित झाल्यानंतर ७ दिवसांच्या आत पुरवठा करणे निविदाधारकास बंधनकारक आहे. विलंबास शासन नियमानुसार दंड आकारण्यात येईल.
१०. दरपत्रके सादर करतांना उपरोक्त प्रमाणे सर्व कागदपत्रे व साहित्याचे दर सादर करावेत.
११. वॉरटी कालावधी दोन वर्षांचा असावा. (यंत्रसामुग्री करिता)
१२. यंत्र बंद झाल्यास तक्रार केल्यापासून २४ तासांच्या आत तज्ञाने तपासणी करणे बंधनकारक राहिल.
१३. २४ तासांच्या आत तपासणीसाठी हजर न झाल्यास नियमानुसार दंड आकारला जाईल.



अधिष्ठाता


स्वामी रामानंद तीर्थ ग्रामीण शासकीय
वैद्यकीय महाविद्यालय, अंबाजोगाई.

VRDL Instrument/Consumable Specification

Sr. No.	Name of Instrument/ Consumable	Specifications	Make	Quantity Unit	Quantity Required
1	Laboratory incubator (28°C)	<p>General: Tender is invited from reputed original manufacture or their authorized agents/dealers only. Information regarding installation in India and satisfactory service and maintenance may be forwarded with all the details for verification.</p> <p>Technical: Double walled body with inner chamber of Stainless Steel and outer galvanized steel with non- corrosive epoxy powder coated; full view glass door. Capacity : 100-120L with an internal fan for uniform air circulation Inner chamber : 3-4 shelves and with illumination Temperature : Control: microprocessor based with digital display, Range: 5°C to 50°C with an accuracy of +/-0.5°C Uniformity: +/-1.0°C throughout the chamber Door alarm : Low/high temperature alarm Cooling : CFC free refrigeration Power Supply : 210-240V/50-60 Hz</p>	Nuve, Thermo Fisher scientific		01
2	Coverol 2 ml	Coverol 2 ml	Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra	1000 (1 Box)	6000 (6 Box)
3	Cryobox	Cryobox with lid for storage of cryovials with no .on lid	Tarson	1 box (100 p ieces)	30 box
4	Spirit lamp(SS)	Material: Stainless Steel An alcohol burner or spirit lamp is a piece of lab equipment used to produce an open flame	Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra		50
5	Forceps	Disposable sterile forceps	Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra		100
6	70% Ethanol	High purity, 70% ethanol in sterile water for disinfection \	Sigma, Molecular Biology E7023		100 lit
7	Discarding jar :	<p>i. Size To be used as secondary storage of waste materials with Plastic bag lining 5 L 15 L 60 L</p> <p>ii. Specifications 1. Non-Chlorinated in Nature i.e. Free of PVC 2. Made From 100% Virgin Plastic Granuals 3. Made of High Density Poly Ethylene</p>	Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra		10 08 07

		<p>(HDPE) – SPI Resin ID Code 2</p> <p>4. Puncture Proof, Tamper Proof, Leak Proof with Sealing System</p> <p>5. Confirm to ASTM Standard D1922 and D1709 – Test Certificate to be attached</p> <p>6. 50% Transparency Level</p> <p>7. Master Batch Colour Shade -</p> <p>8. Use of Black Printing Ink Colour without heavy metals</p> <p>9. Able to withstand a temperature of 135 Degrees under 31 psi with a resistance time of not less than 30 minutes.</p> <p>iii. Design</p> <p>1. Placing of Biohazard Symbol on a. All Sides</p> <p>2. Placing of Label on Container a. Not Required</p> <p>3. Other Safety Markings Size and Place a. Front Side 5 L, 15 L, 60 L</p>			
8	Ice Box with Gel Pack	<p>Boxes for storage and shipment</p> <ul style="list-style-type: none"> For short-term storage of ice, dry ice, liquid nitrogen, frozen samples, etc., as well as for shipment of materials requiring dry-ice packing Efficient insulation provided by expanded polystyrene walls, encased in sturdy fiberboard shell with close-fitting lid Wall thickness 64 mm <p>Along with gel pack</p>	Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra		30
9	Tissue Roll	For Cleaning and drying at sample preparation area	Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra		50
10	Bio Hazard Labels	<p>Size :4.5 X4.3 X4.5 inches</p> <p>Colour : Fluorescent Red Orange</p> <p>Material type: Bright fluorescent paper stock backed with permanent adhesive</p>	Any Vendor Authorized or certified by Govt. of India /Govt. of Maharashtra		50
11	PCR Tubes /Plates	Should be compatible with reputed brand Real time PCR system , 96 well, DNase / RNase free	Thermofisher Tarson Anxgen, corning Sartorius AG	(1 pack-25)	05
12	Microspin (Small equipment)	<p>Max.RCF 14100 X g</p> <p>Max Speed 14500 rpm</p> <p>Speed 800-14500rpm</p> <p>Max capacity 12 X 1.5/2.0 ml</p> <p>Rotors available 2</p> <p>Acceleration Time 13s</p> <p>Deceleration time 12s</p> <p>Display Large LCD</p> <p>Timer 15s to 99</p>	Eppendorf minispin plus Thermofisher Tarson Anxgen, corning Sartorius AG		01

		min,with continuous run function Noise level < 52 Db(A) Volume Range 24 ml Power supply 230V,50-60 Hz Max power consumption 70W Dimensions(W x D x H) 22.5 x23 x 13.0 cm Height(with open lid) 25 cm Weight w/o accessories 3.7 kg Cooler Non refrigerated			
13	96 well splash free support, base	Designed to hold 96-Well Reaction Plates for convenient pre-PCR and post-PCR sample processing. • Perfect for centrifugation Uniform Results Use with instruments that have heated sample covers to eliminate condensation and the need for a mineral oil overlay. Proprietary MicroAmp® Reaction Tubes are essential for high-performance PCR. They ensure the greatest temperature and amplification uniformity for your samples.	Thermofisher Tarson Anxgen, corning Sartorius AG		02
14	96 well support base, each	• Convenient for pre- and post-PCR sample processing • Easy to use for pipetting steps • Designed to support 48-well and 96-well plate formats	Thermofisher Tarson Anxgen, corning Sartorius AG		02
15	MICROAMP 96 WELL SUPPORT BASE, each	• Convenient for pre- and post-PCR sample processing • Easy to use for pipetting steps • Designed to support 48-well and 96-well plate formats	Thermofisher Tarson Anxgen, corning Sartorius AG		02
16	Deep well 96 plate 50 Pcs Each	Bottom U Certifications/Compliance Certified RNase and DNase Free. ANSI Color Natural Material Polypropylene No. per Case 50 Sterility Non-sterile Well Shape Round	Thermofisher Tarson Anxgen, corning Sartorius AG		01
17	Label Thermal Printer	Print a variety of colorful labels quickly and easily with handheld label printers, no computer needed	HP		04


अधिष्ठाता



स्वामी रामानंद तीर्थ ग्रामीण शासकीय
वैद्यकीय महाविद्यालय, अंबाजोगाई.